

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5A




FIG. 5B




FIG. 6

Digit number where device identifier is different	IP address
0	192.168.0.0
1	192.168.0.1
2	192.168.0.2
⋮	⋮
8	192.168.0.8
9	192.168.0.9

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11

Device identifier	IP address
12345678	202.132.10.6
98765432	131.206.10.240
⋮	⋮

FIG. 12




FIG. 13




FIG. 14




FIG. 15A

	IP address
Caller	192.168.0.1
Callee	192.168.0.2

FIG. 15B

	IP address
Caller	192.168.0.1
	192.168.0.3
	192.168.0.5
	192.168.0.7
Callee	192.168.0.2
	192.168.0.4
	192.168.0.6
	192.168.0.8

FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22A




FIG. 22B

Digit number where device identifier is different	Host address
0	0
1	1
⋮	⋮
9	9

FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27





FIG. 28A**FIG. 28B**

	Host address
Caller	1
Callee	2

FIG. 28C

	Host address
Caller	1
	3
	5
Callee	2
	4
	6

FIG. 29




FIG. 30




FIG. 31




FIG. 32






FIG. 33



First information-processing device 1k

FIG. 34



Third information-processing device 3k

FIG. 35






FIG. 36



First information-processing device 1m

FIG. 37



Second information-processing device 2m

FIG. 38




FIG. 39






FIG. 40



First information-processing device 1n

FIG. 41



Second information-processing device 2n

FIG. 42




FIG. 43

